


PREPARED BY  
HIGHWAY PLANNING SURVEY  
IN COOPERATION WITH  
U. S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA  
DEPARTMENT OF HIGHWAYS  
ROAD LIFE STUDIES  
CONSTRUCTION PROJECT LOG RECORD


CONTROL SECTION 2002  
TRUNK HIGHWAY 14  
COUNTY Dodge  
DISTRICT 68

LIMITS: Jct. T.H. 56 in Dodge Center - E. Co. Line



SCALE: 1" = 1 MI.

YEAR BUILT	PROJECT N <sup>o</sup>	DESCRIPTION			CODE N <sup>o</sup>
		TYPE	WIDTH	THICKNESS	
		Gravel	24'	2"	No record of Constr.
		Br. ?	16'		68' L.T.
1920	14-7-5	Grading			
		Gravel	24'	2 1/2"	1200 C.Y./Mile.
1925	14-7-11	Concrete	VW.		
		Grading	40'		
1930	14-7-45-2	Gravel	30'	2"	1200 C.Y./Mile.
		Br. 4972	28'		B.S. - U.P.
		Grading	40'		
1930	14-7-45-3	Gravel	30'	1 1/2"	1000 C.Y./Mile.
		Br. 4973 & 4974	233'		148 T.P.G. - O.H. & 60' B.S.
1931	14-7-45-2&3	Concrete	20'	9-7-9	
M	1968 SF	Spot patch	24'	1"	MC-250 Tack 400 Gal. Agg. 422 Ton
C	1972 2002-08	Lip Curb Removal			
		Agg. Shoulders	8'	3"	
		Bit Turn Lanes	12'	4 1/2"	(1)
M	1972 SF	Agg. Shoulder	10'	Var.	4,320 Ton Cr. Rock 3/4"
C	1976 2002-06	GRADING			
		BR 20001			170'-6" PPG - UP
		RF 007-3(43)			170'-6" PPG - UP
C	1978 2002-12	CONC. SURF.	26'	9"	TEMP. CONN.
		Bit. SHOULDERS	25'		GRADING & SURE
M	1971 SF	Bit. SPOT OVERLAY	20'	1"	AC-1 2331 WEAR. COAT
C	1976 2002-10	Bit. PAVEMENT	24'	2 3/4"	
		WIDENING			
C	1978 2002-14	Culvert Extensions & Misc. Grading for Culverts			Between W. Jct. T.H. 14 & 56 to W. Corp. Limits of Kasson



YEARS FROM	TO	TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL				URBAN	
			RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1921	1929	9.00	6.50	0.00	2.49	0.01	7.50	0.00	1.49	0.01		
1930	1939	9.15	6.51	0.00	2.60	0.04	7.54	0.00	1.57	0.04		
1940	1958	9.15	6.51	0.00	2.60	0.04	6.51	0.00	2.50	0.04		
1959		9.15	6.26	0.00	2.85	0.04	6.26	0.00	2.85	0.04		

REMARKS: Layout is to scale as of 1930.  
(1) E. Jct. C.S.A.H. 9 (S); C.S.A.H. 13 (S); C.S.A.H. 15 (N)



