


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U. S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 6108
TRUNK HIGHWAY 55
COUNTY Pope
DISTRICT 48

LIMITS: Jct, T.H. 29 - E. Co. Line
Ref. Pt. 068+00.816 - 086+00.366



YEAR BUILT	PROJECT N°	DESCRIPTION				CODE N°
		TYPE	WIDTH	THICKNESS	REMARKS	
M	1954 A.F.E. 820	Subgr. Correction Restore Bit. Surf.	24'		MC-2, 385 Gal. Agg. 19 C.Y.	
M	1955 A.F.E. 604	Spot Treat Bit. Surf. Repair			MC-2, 2366 Gal. Agg. 1904 Tons	
M	1957 A.F.E. 604	Spot Treat Bit. Surf. Repair	24'		MC-2, 11843 Gal. Agg. 771 Tons	
M	1958 A.F.E. 604 A.F.E. 605	Spot Treat Bit. Surf. Repair Light Bit. Seal (7.55 Mi)	24' 25'		Bit. 58917 Gal. Agg. 1162 C.Y. & 1796 Tons	
C	1962 6108-08	Grading Gravel Base* Road Mix Bit. (Base)	43' 26'	4 1/2" 1 1/2"	*over 12" of selected granular mat'l. which is bit. stab. in upper 3"	
C	1963 6108-09	Plant Mix Bit. Bit. Shoulders	24'	3 1/2"		
M	1965 C	Light Bit. Seal	25'		RS-1C, 27776 Gal. Agg. 953 C.Y.	
C	1971 6108-13 & 14	Electric Lighting System				
C	1971 6108-12	Grade Gravel Base Pl. Mix Bit. Base Pl. Mix Bit. Surf.	12" 1 1/2" 3"		Gravel Shoulders B' Rt. & Lt.	
C	1981 6108-15	Bit. Resurfacing Rt. Two Lanes	24'	2 1/2"		
C	1987 6108-16	Grading, Bit. Surfacing	24'	5"	Spec 2331, 2341	
M	2002 8824-33	Agg. Seal				
S	2005 6108-18	Bit. Milling Bit. Reclaim. Bit. Surfacing	24' 24' 24'	2" 9" 5.5"	Spec. 2360	
	2010 6108-19	Reclamation Bit. Overlay	24'	5"	Spec. 2360	



YEARS FROM	TOTAL MILES TO	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.

REMARKS: See Sheet No. 1